I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Attorney Docket No.: 18623 Client Reference No.: EPI 0058.90 US

Assistant Commissioner for Patents Washington, D.C. 20231

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Howard M. Grey et al.

Application No.: 09/017,735

Filed: 2/3/98

For: HLA-A2.1 BINDING PEPTIDES

AND THEIR USES

Examiner:

Not assigned

Art Unit:

1642

INFORMATION DISCLOSURE

STATEMENT UNDER 37 CFR §1.97 and

§1.98

**Assistant Commissioner for Patents** Washington, D.C. 20231

iFEB 1 8 1999 **GROUP 18** 

Sir:

The references cited on attached form PTO-1449 are being called to the attention of the Examiner. Copies of the references are enclosed. Also enclosed is a copy of the International Search Report for the related application PCT/US98/05039. It is respectfully requested that the cited information be expressly considered during the prosecution of this application, and the references be made of record therein and appear among the "references cited" on any patent to issue therefrom.

As provided for by 37 CFR 1.97(g) and (h), no inference should be made that the information and references cited are prior art merely because they are in this statement and Application No.: 09/017,735

Page 2

no representation is being made that a search has been conducted or that this statement encompasses all the possible relevant information.

Applicant believes that <u>no fee is required</u> for submission of this statement, since it is being submitted prior to the first Office Action. However, if a fee is required, the Commissioner is authorized to deduct such fee from the undersigned's Deposit Account No. 20-1430. Please deduct any additional fees from, or credit any overpayment to, the abovenoted Deposit Account.

Respectfully submitted,

Ellen Lauver Weber Reg. No. 32,762

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, 8<sup>th</sup> Floor San Francisco, California 94111-3834

Tel: 415-576-0200 Fax: 415-576-0300

ELW:jml

SF 194515 v1

· · · · · ·			EB 1 1 1999 22			
FORM PTO-14	49 (Modified)		Attorney Docket No.: (	018623-005890US	Application No	o.: 09/017,735
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)			Applicant: Howard M. Grey et al. Filing Date: 2/3/98		Group: 1642	
Reference Desig			U.S. PATENT DOCUM	ENTS		Page 1
Examiner Initial	Document No.	Date	Name	Class	Sub-class	Filing Date (If Appropriate
A1	5,342,774	08/30/94	Boon et al.	435	240.2	12/12/91
A2	5,200,320	04/06/93	Sette et al.	435	7.24	12/07/87
A3	5,405,940	04/11/95	Boon et al.	530	328	08/31/92
	<u> </u>	FOR	LEIGN PATENT DOCU	IMENTS		
	Document No.	Date	Country	Class	Sub-class	Translation
B1	WO 94/05304 (PCT/US93/08 157)	03/17/94	PCT	C07K	7/06	(Yes/No)
B2	WO 92/21033		PCT			yes
B3	WO 94/11738		PCT			
B4	WO 92/02543	2/92	PCT			
B5	WO 95/25122	9/21/95	PCT	C07K	14/18	
B6	WO 94/20127	9/15/94	PCT	A61K	37/02	
		HIPP ADT G		. 5	<u> </u>	
C1	Celis, E. et al., P	roc. Natl. Acad. S	uding Author, Title, Da Sci. USA 91: 2105-2109 ( ing primary cultures and	March, 1994), Induc	tion of anti-tumor	cytotoxic T
C2	lymphocytes in normal humans using primary cultures and synthetic peptide epitopes"  Ding, M. et al., Biochem. Biophys. Res. Commun. 202(1): 549-555 (July 15, 1994), "Cloning and analysis of MAGE-1-related genes"					
C3	Gaugler, B. et al., J. Exp. Med. 179(3): 921-930 (March 1, 1994), "Human gene MAGE-3 codes for an antigen recognized on a melanoma by autologous cytolytic T lymphocytes"					
C4	Oaks, M.K. et al., Cancer Res. 54: 1627-1629 (April 1, 1994), "Molecular cytogenetic mapping of the human melanoma antigen (MAGE) gene family to chromosome region Xq27-qtr: implications for MAGE immunotherapy'					
C5	Paul, W.F.(ed.), Fundamental Immunology, 3rd ed., pp- 976-978 (1993), Raven Press, NY					
C6	Traversari, C. et al., J. Exp. Med. 176: 1453-1457 (November, 1992), "A nonapeptide encoded by human gene MAGE-1 is recognized on HLA-A1 by cytolytic T lymphocytes directed against tumor antigen MZ2-E"					
C7	Robbins Pathologic Basis of Disease, 4th edition (R.S. Cotran et: al., ed.), pp. 296-299 (1989), W.B. Saunders Co., Philadelphia					
C8	Weynants, P. et al., Int. J. Cancer, 56: 826-829 (1994), "Expression of MAGE genes by non-small-cell lung carcinomas"					
C9	Zakut, R. et al., Cancer Res. 53: 5-8 (January 1, 1993), "Differential expression of MAGE-1, -2, and -3 messenger RNA in transformed and normal human cell lines"					
C10	Urban, J.L., et al., "Autoimmune T Cells: Immune Recognition of Normal and Variant Peptide Epitopes and Peptide-Based Therapy," Cell 59:257-271 (October 20, 1989).					
C11	Wraith, D.C., et al., "Antigen Recognition in Autoimmune Encephalomyelitis and the Potential for Peptide-Mediated Immunotherapy," Cell 59:247-255 (October 20, 1989).					
C12	Parker, K.C., et al., "Peptide Binding to HLA-A2 and HLA-B27 Isolated from Escherichia coli" J. Biol. Chem. 267(8):5451-5459 (March 15, 1992).					

C Sec. Sec. Sec.	FB 1 1 1893 &					
FORM PTO-	1449 (Modified) Application No.: 09/017,735  TENTS AND PUBLICATIONS TO Applicant: Howard M. Grey et al.					
LIST OF PAT	TENTS AND PUBLICATIONS 130 Applicant: Howard M. Grey et al.					
APPLICANI	'S INFORMATION DISCLOSURE Filing Date: 2/3/98 Group: 1642					
C13	Morrison, J., et al., "Identification of the nonamer peptide from influenza A matrix protein and the role of pockets of HLA-A2 in its recognition by cytotoxic T lymphocytes," Eur. J. Immunol., 22:903-907 (1992).					
C14	Shimojo, N., et al., "Specificity of Peptide Binding by the HLA-A2.1 Molecule, J. of Immunol. 143(9):2939-2947 (November 1, 1989).					
C15	Carreno, B.M., et al., "HLA-B37 and HLA-A2.1 molecules bind largely nonoverlapping sets of peptides," Proc. Natl. Acad. Sci. USA, 87:3420-3424 (May 1990).					
C16	Henderson, R.A., et al., "HLA-A2.1-Associated Peptides from a Mutant Cell Line: A Second Pathway of Antigen Presentation," Science 255:1264-1266 (10 February 1992).					
C17	Kannagi, M., et al., "Target Epitope in the Tax Protein of Human T-Cell Leukemia Virus Type I Recognized by Class I Major Histocompatibility Complex-Restricted Cytotoxic T Cells, "J. of Virol. 66 (5):2928-2933 (May 1992).					
C18	Falk, K., et al., "Allele-specific motifs revealed by sequencing of self-peptide eluted from MHC molecules," Nature 351:290-296 (23 May 1991).					
C19	Jardetzky, T.S., et al., "Identification of self peptides bound to purified HLA-B27, Nature 353:326-329 (September 26, 1991).					
C20	Hunt, D.F., et al., "Characterization of Peptides Bound to the Class I MHC Molecule HLA-A2.1 by Mass Spectrometry," Science 255:1261-1263 (March 6, 1992).					
C21	Rotzschke, O., et al., "Naturally occurring peptide antigens derived from the MHC class-I-restricted processing pathway," <i>Immunology Today</i> 12(12):447-455 (1991).					
C22	De Bruijn, M.L.H., et al., "Peptide loading of empty major histocompatibility complex molecules on RMA-S cells allows the induction of primary cytotoxic T lymphocyte responses, Eur. J. Immunol. 21:2963-2970 (1991).					
C23	Pamer, E.G., et al., "Precise prediction of a dominant class I MHC-restricted epitope of Listeria monocytogenes,"  Nature 353:852-855 (October 31, 1991)					
C24	DiBrino, M. et al., "Endogenous peptides bound to HLA-A3 possess a specific combination of anchor residues that permit identification of potential antigenic peptides, Proc. Nat'l. Acad. Sci. USA 90: 1508-1512 (February 1993)					
C25	Paul, W.F. (ed.), Fundamental Immunology, 2nd ed., pp. 473-487 (1989), Raven Press, NY					
C26	Romero et al., J. Exp. Med. 174: 603-612 (Sept. 1991), "H-2Kd-restricted antigenic peptides share a simple binding motif".					
C27	Sette et al., Proc. Nat'l. Acad. Sci. USA 86: 3296-3300 (1989), "Prediction of major histocompatibility complex binding regions by sequence pattern analysis".					
C28	Krieger et al., J. Immunol. 146: 2331-2340 (1991) "Single amino acid changes in DR and antigen define residues critical for peptide-MHC binding and T cell recognition".					
C29	Sette et al., J. Immunol. 147: 3893-3900 (1991), "Random association between the peptide repertoire of A2.1 Class I and several different DR Class II molecules".					
C30	Knuth et al., Curr. Opinion Immunol. (1991) 3: 659-664, "Cellular and humoral immune responses against cancer: implications for cancer vaccines".					
C31	Viret et al., Eur. J. Inununol. (1993) 23: 141-146, "Recognition of shared melanoma antigen by HLA-A2-restricted cytolytic T cell clones derived from human tumor-infiltrating lymphocytes".					
C32	Hayashi et al., J. Immunol. (1992) 149: 1223-1229, "Molecular cloning and characterization of the gene encoding mouse melanoma antigen by cDNA library transfection".					
C33	Storkus et al., J. Immunol. (Oct. 1, 1993) 151: 3719-3727, "Identification of human melanoma peptides recognized by Class I restricted tumor infiltrating T lymphocytes".					

EODM DEC 14	10 (Madisad)					
FORM PTO-144	AUG					
	NTS AND PUBLICATIONS FOR Applicant: Howard M. Grey et al.  INFORMATION DISCLOSURE  Eiling Date: 2/2/08					
	Use several sheets if necessary)  Filing Date: 2/3/98  Group: 1642					
C34	Slingluff et al., J. Immunol. (April 1, 1993) 150: 2955-2960, "Recognition of human melanoma cells by HLA-A2.1-restricted cytotoxic T lymphocytes is mediated by at least six shared peptide epitopes".					
C35	Van der Bruggen et al., Science (Dec. 13, 1991) 254: 1643-1647, "A gene encoding an antigen recognized by cytolytic T lymphocytes on a human melanoma".					
C36	Maryanski et al., Cell 60: 63-72 (1990) "Competitor analogs for defined T cell antigens: peptides incorporating a putative binding motif and polyproline or polyglycine spacers".					
C37	Bjorkman et al., "Structure of the human class I histocompatibility antigen HLA-A2," Nature (1987) 329: 506					
C38	Buus et al., Science (1988) 242: 1045-1047 "Autologous peptides constitutively occupy the antigen binding site on Ia"					
C39	Celis et al., Mol. Immunol. (1994) 31: 1423-1430, "Identification of potential CTL epitopes of tumor-associated antigen MAGE-1 for five common HLA-A alleles"					
C40	Rammensee et al., İmmunogenet. (1995) 41: 178-228, "MHC ligands and peptide motifs: first listing"					
C41	Rotzschke et al., Nature (Nov. 15, 1990) 348: 252-254, "Isolation and analysis of naturally processed viral peptides as recognized by cytotoxic T cells"					
C42	Rotzschke et al., Science (July 20, 1990) 249: 283-287, "Characterization of naturally occurring minor histocompatibility peptides including H-4 and H-Y"					
C43	Jiang et al., Science (May 22, 1992) 256: 1213-1215, "Role of CD8* T cells in murine experimental allergic encephalomyelitis"					
C44	Koh et al., Science (May 22, 1992) 256: 1210-1213, "Less mortality but more relapses in experimental allergic encephalomyelitis in CDB mice"					
C45	Miller et al., Proc. Nat'l. Acad. Sci. USA (January 1992) 89: 421-425, "Suppressor T cells generated by oral tolerization to myelin basic protein to suppress both in vitro and in vivo immune responses by the release of transforming growth factor β after antigen-specific triggering"					
C46	Foon, Cancer Res. (April 1, 1989) 49: 1621-1639, "Biological response modifiers: the new immunotherapy"					
C47	Parker et al., J. Immunol. (December 1, 1992) 149:3580-3587, "Sequence motifs important for peptide binding to the human MHC Class I molecule, HLA-A2"					
C48	Sarobe et al., Eur. J. Immunol. (1991) 21:1555-1558 "Induction of antibodies against a peptide hapten does not require covalent linkage between the hapten and a class II presentable T helper peptide"					
C49	Fynan et al. "DNA vaccines: Protective immunizations by parenteral, mucosal, and gene-gun inoculations," Proc. Natl. Acad. Sci. USA 90:11478-11482, December (1993)					
C50	Battegay et al. "Patients with Chronic Hepatitis C Have Circulating Cytotoxic T Cells Which Recognize Hepatitis C Virus-Encoded Peptides Binding to HLA-A2.1 Molecules," Journal of Virology 2462-2470, April (1995)					
C51	Rammensee et al. "Peptides Naturally Presented by MHC Class I Molecules," Annu. Rev. Immunol. 11:213-44 (1993)					
C52	Cox et al. "Melanoma-Specific Human Cytotoxic T Cells Lines," Science 264:716-719, April (1994)					
C53	Cerny et al. "Induction in vitro of a primary human antiviral cytotoxic T cell response," Eur. J. Immunol. 25:627-630, (1995)					
C54	Wei et al. "HLA-A2 molelcules in an antigen-processing mutant cell contain signal sequence-derived peptides" Nature 356:443-446 (1992)					
C55	Ochoa-Garay et al. "The ability of peptides to induce cytotoxic T cells in vitro does not strongly correlate with their affinity for the H-sLd moelcule: implications for vaccine design and immunotherapy" Molec. Immunol. 34:273-281 (1997)					

		CER			
FORM PTO-14	49 (Modified)	Attorney Desket No.: 018623 05890US	Application No.: 09/017,735		
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: He ward M. Green et al.			
		Filing Date: 2/3/98	Group: 1642		
C56	Rudinger, J. "Characteristics of the amino acids as components of a peptide hormone sequence" in Peptide Hormones, edited by Parsons, J.A. University Park Press, 1976, pages 1-7				
C57	Bruss, V. "A short linear sequence in the pre-S domain of the large hepatitis B virus envelope protein required for virion formation" J. Virol. 71:9350-9357 (December, 1997)				
C58	Preisler-Adams, S. et al. "Complete nucleotide sequence of a hepatitis B virus, subtype adw2, and identification of three types of C open reading frames" Nucleic Acids Res. 21:2258 (1993)				
C59	Engelhard, V. et al. "Structure of peptides associated with MHC Class I molecules" Curr. Opin. Immunol. 6:13-23 (1994)				
EXAMINER		DATE CONSIDERED			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

